

Wisconsin Native Plants

Plant Type	Genus and species	Common Name	Moisture Regime	Exposure	Blooming Period	Mature Plant Height
Fern	<i>Adiantum pedatum</i>	Maidenhair fern	M,WM	Full shade	NA	1-1/2 ft
Forb	<i>Agastache foeniculum</i>	Lavender hyssop	M	Full- Part	June-Sept	2-4 Ft
Forb	<i>Allium cernuum R</i>	Nodding wild onion	M	Full sun - Part sun	July - Aug	1-2 ft
Legume/ Shrub	<i>Amorpha canescens</i>	Leadplant	D,DM,M	Full sun - Part sun	June - July	20-40 in
Grass	<i>Andropogon gerardii</i>	Big bluestem**	D,DM,M	Full sun - Part sun	Summer	3-8 ft
Forb	<i>Anemone canadensis</i>	Canada anemone	M,WM	Full sun - Part sun	May - July	1-2 ft
Forb	<i>Anemone patens</i>	Pasque flower	D,DM	Full- Part	April-May	< 1 Ft
Forb	<i>Angelica atropurpurea</i>	Angelica	M,WM,W	Full sun - Part sun	July - October	4-7 ft
Forb	<i>Aquilegia canadensis</i>	Columbine	D,DM,M,WM	Full sun-Full shade	May-July	2-3 ft
Forb	<i>Arisaema triphyllum</i>	Jack-in-the-pulpet	M,WM,W	Part sun-Full shade	April-June	0.5-3 ft
Forb	<i>Arnoglossum plantagineum</i>	Sweet Indian Plantain	WM	Full sun	July-Sept	2-5 ft
Forb	<i>Artemisia ludoviciana</i>	Prairie Sage	D,DM,M	Full - Part	Aug-Sept	2-4 Ft
Forb	<i>Asarum canadense</i>	Wild ginger	M,WM	Part sun-Full shade	May-June	0.5 ft
Forb	<i>Asclepias purpurascens</i>	Purple Milkweed	M	Full	June-July	2-3 Ft
Forb	<i>Asclepias hirtella</i>	Tall Green Milkweed	D,DM	Full	June - Aug	1-3 Ft
Forb	<i>Asclepias incarnata</i>	Marsh milkweed	M,WM,M	Full sun	June - Aug	2-4 ft
Forb	<i>Asclepias sullivantii</i>	Prairie milkweed	M	Full sun	June - Aug	2-6 ft
Forb	<i>Asclepias syriaca</i>	Silk (common) milkweed	D,DM,M,WM	Full - Part	June - Aug	3-4 ft
Forb	<i>Asclepias tuberosa</i>	Butterfly milkweed	D,DM,M	Full sun - Part sun	June - August	2-5 ft
Forb	<i>Asclepias verticillata</i>	Whorled milkweed	D,DM,M	Full sun - Part sun	July-Sept	1-2 ft
Forb	<i>Aster drummondii</i>	Drummond's Aster	M	Full - Part	Sept - Oct	2-4 Ft
Forb	<i>Aster ericoides</i>	Heath aster	D,DM,M	Full sun - Part sun	August - October	1-3 ft
Forb	<i>Aster laevis</i>	Smooth aster	DM,M	Full sun - Part sun	August - October	1-3 ft
Forb	<i>Aster lanceolatus (simplex)</i>	Panicled aster	M,WM,W	Full sun	August-October	2-4 ft
Forb	<i>Aster linariifolius</i>	Stiff Aster	D,DM	Full - Part	Sept - Oct	1-2 ft
Forb	<i>Aster novae-angliae</i>	New England aster**	M,WM	Full sun - Part sun	August - October	3-7 ft
Forb	<i>Aster oolentangiensis</i>	Sky-blue aster	D,DM,M	Full sun - Part sun	Aug - Oct	1-2 ft

Wisconsin Native Plants

Plant Type	Genus and species	Common Name	Moisture Regime	Exposure	Blooming Period	Mature Plant Height
Forb	<i>Aster pilosus</i>	Frost Aster	M	Full	Aug - Oct	2-4 Ft
Forb	<i>Aster sericeus</i>	Silky Aster	D,DM,M	Full sun-Part sun	Sept-Oct	2-4 ft
Forb	<i>Aster shortii</i>	Short's Aster	D,DM,M	Part sun - Shade	Sept-Oct	2-4ft
Legume	<i>Astragalus canadensis</i>	Canada milk vetch	M	Full sun - Part sun	June-Aug	1-4 ft
Forb	<i>Baptisia bracteata</i>	Cream False Indigo	D,DM,M	Full sun - Shade	May - June	1-3 ft
Forb	<i>Bidens cernuus</i>	Nodding beggartick	W	Full sun	August - October	3-5ft
Forb	<i>Blephilia ciliata</i>	Downy Woodmint	D,DM,M	Full sun - Part sun	June - July	1-2 ft
Sedge	<i>Bolboschoenus fluviatilis</i>	River bulrush	W	Full sun - Part sun	May - September	4-7 ft
Grass	<i>Bouteloua curtipendula</i>	Side-oats grama	D,DM	Full sun	Summer	3 ft
Grass	<i>Bouteloua hirsuta</i> R	Hairy grama	D,DM	Full sun	Midsummer - fall	3 ft
Grass	<i>Calamagrostis canadensis</i>	Bluejoint grass	WM,W	Full sun	May - August	3-5 ft
Forb	<i>Campanula americana</i> l	Tall Bellflower	M	Part Sun - Shade	July - October	3-6 ft
Forb	<i>Caramine concatenata</i>	Cut-leaved Toothwort	M,WM	Part Sun- Shade	April - May	1 ft
Sedge	<i>Carex bebbi</i>	Bebb's Sedge	WM,W	Full sun		1 ft
Sedge	<i>Carex comosa</i>	Bristly sedge	WM,W	Full sun - Part sun	May - July	1-2 ft
Sedge	<i>Carex hystricina</i>	Porcupine sedge	W	Full sun		1-3 ft
Sedge	<i>Carex Pensylvanica</i>	Common Oak Sedge	D,DM,M	Full sun - Part sun		1-2 ft
Sedge	<i>Carex spengeii</i>	Woodland sedge	WM			
Sedge	<i>Carex stipata</i>	Common Fox Sedge	WM	Full sun		2-3 ft
Sedge	<i>Carex stricta</i>	Tussock sedge	WM,W	Full sun		2-3 ft
Sedge	<i>Carex vulpinoidea</i>	Brown Fox sedge	WM,W	Full sun	May - July	1-3 ft
Forb	<i>Cassia hebecarpa</i>	Wild Senna	M	Full - Part	July - August	3-6 ft
Forb	<i>Castilleja coccinea</i>	Indian Paintbrush	M	Full- Part	April - Sept	1-2 Ft
Forb	<i>Chamaecrista fasciculata</i>	Partidge Pea	D,DM,M	Full- Part	June - Sept	1-3 Ft
Forb	<i>Chelone glabra</i>	Turtlehead	WM,W	Full	July - Sept	1-3 Ft
Forb	<i>Coreopsis lanceolata</i>	Lance-leaf coreopsis	D,DM,M	Full sun	June-July	2 ft
Forb	<i>Coreopsis palmata</i>	Prairie tickseed	D,DM,M	Full sun - Part sun	June - August	1-3 ft
Forb	<i>Coreopsis tripteris</i>	Tall Coreopsis	M	Full - Part	July - October	3-6 Ft
Legume	<i>Dalea purpurea</i>	Purple prairie clover	D,DM,M	Full sun	July - August	1-2 ft

Wisconsin Native Plants

Plant Type	Genus and species	Common Name	Moisture Regime	Exposure	Blooming Period	Mature Plant Height
Legume	<i>Desmodium canadense</i>	Showy tick-trefoil	M,WM	Full sun	July - August	3-6 ft
Legume	<i>Desmodium illinoense</i>	Illinois tick trefoil	DM,M	Full sun	July-Aug	3-6 ft
Forb	<i>Dodecatheon meadia</i>	Shootingstar	DM,M	Full sun - Part sun	May - June	10-24 in
Forb	<i>Echinacea pallida</i>	Pale Purple coneflower	M	Full sun	June - July	2-3 ft
Grass	<i>Elymus canadensis</i>	Canada wild rye	DM,M,WM	Full sun - Part sun	Late spring - early fall	3-5 ft
Grass	<i>Elymus hystrix</i>	Bottlebrush grass	M	Full - Part	June - Aug	3-5 ft
Grass	<i>Elymus villosus</i>	Silky Wild Rye	D,DM,M	Full sun - Part sun		
Grass	<i>Elymus virginicus</i>	Virginia wild rye	WM,W	Full sun	June - October	2-4 ft
Forb	<i>Epilobium angustifolium</i>	Fireweed	D,DM,M	Full - Part	July - August	1-3 Ft
Forb	<i>Eryngium yuccifolium R</i>	Rattlesnake master	DM,M	Full sun	June - August	1 1/2-4 ft
Forb	<i>Eupatorium maculatum</i>	Spotted Joe-pye weed	W	Full sun	Aug - Sept	3-10 ft
Forb	<i>Eupatorium perfoliatum</i>	Boneset	W	Full sun	Aug - Sept	2-5 ft
Forb	<i>Eupatorium purpureum</i>	Purple Joe-Pyeweed	M	Part sun-Shade	Aug-Sept	4-6ft
Forb	<i>Euthamia graminifolia</i>	Grass-leaved goldenrod	D,DM	Full - Part	Aug-Oct	1-3 Ft
Forb	<i>Gentiana andrewsii</i>	Bottle gentian	M	Full sun - Part sun	Aug - Oct	1-2 ft
Forb	<i>Gentiana flavida</i>	Cream Gentian	M	Full sun - Part sun	August - September	1-2 Ft
Forb	<i>Gentianella quinquefolia</i>	Stiff gentian	DM	Full sun - Part sun	Aug-Oct	2-30 in
Forb	<i>Geranium maculatum</i>	Wild Geranium	DM,M,WM	Part sun - Full shade	April,May,June	1-2 ft
Forb	<i>Geum triflorum</i>	Prairie smoke	D,DM	Full sun - Part sun	April-June	6-16 in
Grass	<i>Glyceria canadensis</i>	Rattlesnake mana grass	WM,W	Full sun - Part sun		3-4 ft
Grass	<i>Glyceria grandis</i>	American manna grass	W	Full sun		3-5 ft
Forb	<i>Helenium autumnale</i>	Sneezeweed**	WM,W	Full sun-Part sun	Aug-Oct	2-5 ft
Forb	<i>Helianthus divaricuatus</i>	Woodland sunflower	M	Full - Part	July - Sept	3-5 ft
Forb	<i>Helianthus grosseserratus</i>	Sawtooth Sunflower**	M	Full- Part	Aug-Sept	4-12 ft
Forb	<i>Helianthus occidentalis</i>	Western sunflower	D,DM,M	Full sun - Part sun	July-Sept	1-3 ft
Forb	<i>Helianthus pauciflorus</i>	Prairie sunflower	D,DM,M	Full sun - Part sun	July - August	2-6 ft

Wisconsin Native Plants

Plant Type	Genus and species	Common Name	Moisture Regime	Exposure	Blooming Period	Mature Plant Height
Forb	<i>Helianthus strumosus</i>	Pale-leaved Sunflower	M	Full - Part	July-Oct	2-5 ft
Forb	<i>Heuchera richardsonii</i>	Prairie alum-root	DM,M	Full sun - Part sun	June-July	2-3 ft
Grass	<i>Hierochloe odorata</i>	Sweet Grass	WM,W	Full sun - Part sun		1-2 ft
Forb	<i>Hypericum pyramidatum</i>	Great St. John's wort	M,WM	Full - Part	July - August	4-6 ft
Forb	<i>Iris versicolor</i>	Blue Flag Iris *		Full sun - Part sun	May - July	2-3 ft
Forb	<i>Iris virginica shrevei</i>	Wild Iris	M,WM,W	Full sun - Part sun	May - July	2-3 ft
Rush	<i>Juncus torreyi Coville</i>	Torrey's rush	WM,W	Full sun		18-48 in
Grass	<i>Koeleria macrantha</i>	June grass	D,DM,M	Full sun	Midspring - midsummer	2 ft
Forb	<i>Kuhnia eupatorioides</i>	False boneset	D,DM	Full sun-Part sun	August - September	1-4 ft
Legume	<i>Lespedeza capitata</i>	Round-headed bush-clover	DM,M	Full sun - Part sun	August - September	2-5 ft
Forb	<i>Liatris aspera</i>	Rough blazing star	D,DM,M	Full sun - Part sun	August - September	6-30 in
Forb	<i>Liatris cylindracea</i>	Cylindrical blazing star	D,DM	Full sun - Part sun	Aug-Sept	8-24 in
Forb	<i>Liatris ligulistylis</i>	Northern Plains Blazing star	M,WM	Full - Part	Aug-Sept	2-4 ft
Forb	<i>Liatris pycnostachya</i>	Prairie blazing star	DM,M,WM	Full sun - Part sun	July-Aug	1-4 ft
Forb	<i>Liatris spicata</i>	Marsh Blazing Star	WM,W	Full sun	Aug-Sept	3-6 ft
Forb	<i>Lilium michiganense</i>	Turk's cap lily	M	Full sun - Part sun	July-Aug	3-7 ft
Forb	<i>Lilium philadelphicum</i>	Orange cup lily	M	Full sun - Part sun	June-july	1-3 ft
Forb	<i>Lobelia cardinalis</i>	Cardinal flower	WM,W	Full sun - Part sun	July - September	2-5 ft
Forb	<i>Lobelia siphilitica</i>	Great blue lobelia	W	Full sun - Part sun	July-Sept	1-3 ft
Forb	<i>Lupinus perennis</i>	Wild Lupine	D	Full sun	May-June	1-2 ft
Forb	<i>Lycopus americanus</i>	Water Horehound	WM,W	Full	July - Sept	1-2 ft
Forb	<i>Maianthemum racemosum</i>	False Solomon's Seal	D,DM,M	Full- Part	April - June	1-3 ft
Forb	<i>Mertensia virginica</i>	Vierginia bluebells	M,WM	Part sun - Full shade	April, May	0.8-2 ft
Forb	<i>Mimulus ringens</i>	Monkey Flower	Wm,W	Full - Part	June - Sept	1-3 ft
Forb	<i>Mirabilis nyctaginea</i>	Wild Four O'clock	D,DM	Full	June - Sept	1-3 ft
Forb	<i>Monarda fistulosa</i>	Bergamot**	DM,M,WM	Full sun - Part sun	July - September	2-3 ft
Forb	<i>Monarda punctata</i>	Dotted Horsemint	DM	Full sun - Part sun	July-Sept	1-3 ft

Wisconsin Native Plants

Plant Type	Genus and species	Common Name	Moisture Regime	Exposure	Blooming Period	Mature Plant Height
Forb	<i>Napaea dioica</i>	Glade Mallow	M	Full - Part	June August	5-8 ft
Forb	<i>Oenothera biennis</i>	Evening primrose	D,DM,M	Full sun - Part sun	August - September	1-5 ft
Fern	<i>Onoclea senibilis</i>	Sensitive fern	M,WM,W	Full sun - Part sun	NA	1-2 ft
Fern	<i>Osmunda cinnamomea</i>	Cinnamon fern	WM,W	Part sun - Full shade	NA	2-4 ft
Fern	<i>Osmunda claytoniana</i>	Interrupted fern	M,WM,W	Part sun - Full shade	NA	3-4 ft
Grass	<i>Panicum virgatum</i>	Switchgrass	D,DM,M,WM	Full sun - Part sun	Summer - early fall	4-6 ft
Forb	<i>Parthenium integrifolium</i>	Wild quinine	M	Full sun	June - September	1 1/2-3 ft
Forb	<i>Pedicularis canadensis</i>	Wood betony	DM	Full sun - Part sun	April-May	5-14 in
Forb	<i>Penstemon grandiflorus</i>	Large-flowered beardtongue	D,DM	Full- Part	May-June	2 - 4 ft
Forb	<i>Phlox pilosa</i> 2	Prairie phlox	DM,M	Full sun - Part sun	May-June	1-2 ft
Forb	<i>Physostegia virginiana</i>	Obedient Plant	WM,W	Full sun-Part sun	Aug-Oct	2-3 ft
Forb	<i>Polemonium reptans</i>	Jacob's ladder	DM,M,WM	Full shade	April,May,June	1 ft
Forb	<i>Polygonatum biflorum</i>	Solomon's seal	DM,M,WM	Part sun - Full shade	May, June	1-3 ft
Forb	<i>Potentilla arguta</i>	Prairie cinquefoil	D,DM,M	Full sun - Part sun	June-Sept	5-12 in
Forb	<i>Prenanthes alba</i>	Lion's foot	D,DM,M	Part Sun - Shade	Aug-Oct	2-5 ft
Forb	<i>Pulsatilla patens</i>	Pasque flower	D,DM		April-May	6-16 in
Forb	<i>Pycnanthemum virginianum</i>	Mountain mint**	DM,M,WM	Full sun - Part sun	June-Sept	1-2 1/2 ft
Forb	<i>Ratibida pinnata</i>	Yellow cone flower	D,DM,M,WM	Full sun	July - September	3-5 ft
Shrub	<i>Rosa blanda</i>	Smooth Rose	D,DM,M	Full- Part	June - July	1-3 ft
Shrub	<i>Rosa carolina</i>	Carolina Rose	D,DM,M	Full - Part	June - Aug	1-3 ft
Forb	<i>Rudbeckia hirta</i>	Black-eyed Susan	D,DM,M,WM	Full sun - Part sun	July - September	1-3 ft
Forb	<i>Rudbeckia subtomentosa</i> R	Sweet black-eyed Susan	M	Full sun - Part sun	June-Oct	3-4 ft
Forb	<i>Rudbeckia triloba</i>	Sweet Brown-eyed Susan **	M,WM	Full sun-Part sun	July-Oct	4-6 ft
Forb	<i>Ruellia humilis</i>	Wild Petunia	D,DM,M	Full sun	June-Aug	1-2 ft
Grass	<i>Schizachyrium scoparium</i>	Little bluestem	D,DM,M	Full sun	Midsummer - fall	2-4 ft
Sedge	<i>Schoenoplectus acutus</i>	Hardstem Bulrush	W	Full sun - Part sun	May-Sept	4-7 ft
Sedge	<i>Schoenoplectus tabernaemontani</i>	Soft-stem bulrush	W	Full sun		4-7 ft

Wisconsin Native Plants

Plant Type	Genus and species	Common Name	Moisture Regime	Exposure	Blooming Period	Mature Plant Height
Rush	<i>Scirpus atrovirens</i>	Green bullrush	WM,W	Full sun		3-5 ft
Rush	<i>Scirpus cyperinus</i>	Woolgrass	WM,W	Full sun		4-6 ft
Forb	<i>Silene stellata</i>	Starry Campion	DM,M,WM	Full sun	Aug-Sept	1-2 ft
Forb	<i>Silphium integrifolium</i> <i>Michx. 3</i>	Rosinweed	DM,M	Full sun	July - September	2-6 ft
Forb	<i>Silphium laciniatum</i>	Compass plant	DM,M	Full sun - Part sun	June - September	4-10 ft
Forb	<i>Silphium perfoliatum</i>	Cupplant	M,WM,W	Full sun - Part sun	July - September	4-8 ft
Forb	<i>Silphium terebinthinaceum</i>	Prairie dock	M,WM	Full sun - Part sun	July-Sept	4-10 ft
Forb	<i>Sisyrinchium angustifolium</i>	Narrow-leaved Blue-eyed Grass	D,DM,M	Full - Part	May - June	< 1 ft
Forb	<i>Sisyrinchium campestre</i>	Prairie Blue-eyed grass	D,DM,M	Full sun - Part sun	May-June	less than 1 ft
Forb	<i>Solidago flexicaulis</i>	Zig-zag Goldenrod	DM,M,WM	Full sun-Part sun	Aug-Oct	2-4 ft
Forb	<i>Solidago nemoralis</i>	Old-field goldenrod	D,DM,M	Full sun - Part sun	Aug-Oct	6-36 in
Forb	<i>Solidago ohioensis</i>	Ohio Goldenrod	DM,M,WM	Full sun	July-Sept	3-2 ft
Forb	<i>Solidago riddellii</i>	Riddell's Goldenrod	WM,W	Full sun	Aug-Oct	1-4 ft
Forb	<i>Solidago rigida</i>	Stiff goldenrod	D,DM,M	Full sun - Part sun	August - October	1-5 ft
Forb	<i>Solidago speciosa</i>	Showy goldenrod	DM,M	Full sun - Part sun	July - October	2- 6 ft
Grass	<i>Sorghastrum nutans</i>	Indian grass	D,DM,M,WM	Full sun - Part sun	Midsummer - early fall	3-6 ft
Grass	<i>Spartina pectinata</i>	Prairie cordgrass	M,WM,W	Full sun	Midsummer - early fall	10 ft
Grass	<i>Sporobolus cryptandrus</i>	Sand dropseed	D,DM	Full sun	August - October	3 ft
Grass	<i>Sporobolus heterolepis</i>	Prairie dropseed	D,DM,M	Full sun - Part sun	Midsummer - early fall	2 1/2 ft
Forb	<i>Tephrosia virginiana</i>	Goat's rue	DM	Full sun - Part sun	June-July	1-2 ft
Forb	<i>Teucrium canadense</i>	Germander	M	Full - Part	July - September	1-3 ft
Forb	<i>Thalictrum dasycarpum</i>	Purple meadow-rue	M,WM,W	Full sun - Part sun	June-July	3-6 ft
Forb	<i>Tradescantia ohiensis</i>	Spiderwort	D,DM,M	Full sun - Part sun	May - June	8-36 in
Forb	<i>Verbena hastata</i>	Blue vervain	W	Full sun - Part sun	July-Sept	2-6 ft
Forb	<i>Verbena stricta</i>	Hoary vervain	D	Full sun - Part sun	June-Sept	2-6 ft
Forb	<i>Vernonia fasciculata</i>	Ironweed	WM	Full sun	July-Sept	2-6 ft

Wisconsin Native Plants

Plant Type	Genus and species	Common Name	Moisture Regime	Exposure	Blooming Period	Mature Plant Height
Forb	<i>Veronicastrum virginicum</i>	Culver's root	M,WM,W	Full sun - Part sun	June-Aug	2-7 ft
Forb	<i>Viola pedata</i> 4	Bird's foot violet	D,DM	Full sun - Part sun	April-June	4-10 in
Forb	<i>Viola pedatifida</i> 4	Prairie Violet	D,DM,M	Full sun - Part sun	April-June	4-10 in
Forb	<i>Zizia aptera</i>	Heart-leaved golden Alexander	M	Full sun - Part sun	May-June	1-3 ft
Forb	<i>Zizia aurea</i>	Golden Alexander	M,WM	Full sun - Part sun	May-June	1-3 ft

Caution: When ordering please make sure that you are ordering the correct plant, by scientific name and that you receive what you ordered. Some genus have species or variations that are exotic species which may be either prohibited or restricted in Wisconsin (NR 40). Other plants have prohibited or restricted look-a-likes
Examples:

1. *Campanula americana* - Native ----- *Campanula rapunculoides* - Restricted Invasive Species
2. *Phlox pilosa* - Native ----- *Hesperis matronalis* - Restricted Invasive look-a-like species
3. *Silphium integrifolium* Michx.- Native ---- *Silphium integrifolium* Michx. var. integrifolium - Exotic species
4. *Viola pedata* & *Viola pedatifida* - Native ---- *Viola odorata* - Exotic Invasive Species

NOTES:

This list is not exhaustive. For additional ideas request a catalog from a Wisconsin Native Plant Nursery.

1. **Moisture Regime:** D = Dry, DM = Dry-Mesic, M = Mesic, WM = Wet-Mesic, W = Wet

Dry - Dry Mesic soils include sandy and gravelly soils that drain readily and never have standing water even after a heavy rain

Mesic soils include well drained loams and clays. These soils may have standing water for short periods after a hard rain

Wet - Wet Mesic soils have a generous amount of water in the subsoil throughout the growing season.

They may have periods of standing water in spring and fall. These may include clay, clay/loams and peat soils

2. **Exposure** - Full Sun = 8 hours of sun per day, Part Sun = 4 hours of sun per day, Shade = No direct sun

3. **See Wisconsin Native plant Sources** for nurseries that grow nearest you.
<http://clean-water.uwex.edu/pubs/pdf/home.lonative.pdf>

4. **For a healthy, diverse and interesting planting** choose a minimum of (3) grass species and a minimum of (5) Forb (wildflower) species.

5. **For best results** carefully follow directions for site preparation and site maintenance.

7. **For best results** include native trees and shrubs on your site.

8. **Most of the plants** listed are native to Walworth County per WI State Herbarium. * = plants native to Wisconsin but not considered native to Walworth County. However, these plants have been used extensively throughout the state for prairie and shoreland restoration

9. ** = **These plants can be aggressive** and should be planted with other aggressive species so that they do not take over your planting